



MODEL OL-HRN-RS-GM10

GUIDE ID
GM1020180131

AVAILABLE ACCESSORIES
OL-HRN-RS-PWR
(Adapt to any brand remote start)

DISCLAIMER: The manufacturer of this product nor its affiliates accept any responsibility for any electrical damage to the vehicle or any other connected systems as a result of improper installation of this product. All wiring connections & vehicle compatibility must be verified by a professionally qualified technician prior to installation.

VEHICLE COMPATIBILITY

Make	Model	Trim	Years	Firmware	Diag
Buick	Enclave	Std. Key 6 Cyl. Automatic	2008 - 2017	DL-GM10	3
Buick	Lucerne	Std. Key Sedan 6 Cyl. Automatic	2006 - 2011	DL-GM10	3
Buick	Lucerne	Std. Key Sedan 8 Cyl. Automatic	2006 - 2011	DL-GM10	3
Cadillac	CTS	Std. Key Estate/Wagon 6 Cyl. Automatic	2009 - 2014	DL-GM10	3
Cadillac	CTS	Std. Key Estate/Wagon 6 Cyl. Manual	2009 - 2013	DL-GM10	3
Cadillac	CTS	Std. Key Coupe 6 Cyl. Manual	2010 - 2013	DL-GM10	3
Cadillac	CTS	Std. Key Sedan 6 Cyl. Automatic	2008 - 2013	DL-GM10	3
Cadillac	CTS	Std. Key Sedan 6 Cyl. Manual	2008 - 2013	DL-GM10	3
Cadillac	CTS	Std. Key Sedan Automatic	2011 - 2011	DL-GM10	3
Cadillac	CTS	Std. Key Coupe 6 Cyl. Automatic	2010 - 2011	DL-GM10	3
Cadillac	CTS-V	Std. Key Sedan 8 Cyl. Automatic	2009 - 2011	DL-GM10	3
Cadillac	CTS-V	Std. Key Sedan 8 Cyl. Manual	2009 - 2011	DL-GM10	3
Cadillac	DTS	Std. Key Sedan 8 Cyl. Automatic	2006 - 2011	DL-GM10	3
Cadillac	Escalade	Std. Key Hybrid Automatic	2009 - 2014	DL-GM10	1
Cadillac	Escalade	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Cadillac	Escalade ESV	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Cadillac	Escalade EXT	Std. Key 8 Cyl. Automatic	2007 - 2013	DL-GM10	1
Cadillac	SRX	Std. Key 6 Cyl. Automatic	2007 - 2009	DL-GM10	1
Cadillac	SRX	Std. Key 8 Cyl. Automatic	2007 - 2009	DL-GM10	1
Chevrolet	Avalanche	Std. Key 8 Cyl. Automatic	2007 - 2013	DL-GM10	1

VEHICLE COMPATIBILITY (cont'd)

Make	Model	Trim	Years	Firmware	Diag
Chevrolet	Caprice	Std. Key Sedan 8 Cyl. Automatic	2011 - 2013	DL-GM10	2
Chevrolet	Captiva Sport	Std. Key 4 Cyl. Automatic	2008 - 2015	DL-GM10	1
Chevrolet	Captiva Sport	Std. Key Hybrid Automatic	2008 - 2012	DL-GM10	1
Chevrolet	Equinox	Std. Key 6 Cyl. Automatic	2007 - 2009	DL-GM10	3
Chevrolet	Express 1500	Std. Key 6 Cyl. Automatic	2008 - 2017	DL-GM10	1
Chevrolet	Express 1500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
Chevrolet	Express 2500	Std. Key Diesel Automatic	2010 - 2017	DL-GM10	1
Chevrolet	Express 2500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
Chevrolet	Express 3500	Std. Key Diesel Automatic	2010 - 2017	DL-GM10	1
Chevrolet	Express 3500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
Chevrolet	Impala	Std. Key Sedan 6 Cyl. Automatic	2006 - 2013	DL-GM10	3
Chevrolet	Impala	Std. Key Sedan 8 Cyl. Automatic	2006 - 2009	DL-GM10	3
Chevrolet	Impala Limited	Std. Key Sedan 6 Cyl. Automatic	2014 - 2016	DL-GM10	3
Chevrolet	Monte Carlo	Std. Key Coupe 6 Cyl. Automatic	2006 - 2007	DL-GM10	3
Chevrolet	Monte Carlo	Std. Key Coupe 8 Cyl. Automatic	2006 - 2007	DL-GM10	3
Chevrolet	Silverado 1500	Std.Key w/Premium package 8 Cyl. Automatic	2007 - 2013	DL-GM10	1
Chevrolet	Silverado 1500	Std. Key 6 Cyl. Automatic	2007 - 2013	DL-GM10	1
Chevrolet	Silverado 1500	Std.Key w/Premium package 6 Cyl. Automatic	2007 - 2013	DL-GM10	1
Chevrolet	Silverado 1500	Std. Key Hybrid Automatic	2010 - 2013	DL-GM10	1
Chevrolet	Silverado 1500	Std. Key 8 Cyl. Automatic	2007 - 2013	DL-GM10	1
Chevrolet	Silverado 2500	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Silverado 2500	Std. Key Diesel Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Silverado 3500	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Silverado 3500	Std. Key Diesel Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Suburban	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Tahoe	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Chevrolet	Tahoe	Std. Key Hybrid Automatic	2007 - 2013	DL-GM10	1
Chevrolet	Traverse	Std.Key w/auto window roll-up/down 6 Cyl. Automatic	2009 - 2017	DL-GM10	2
Chevrolet	Traverse	Std. Key 6 Cyl. Automatic	2009 - 2017	DL-GM10	2
GMC	Acadia	Std.Key w/auto window roll-up/down Automatic	2014 - 2016	DL-GM10	2
GMC	Acadia	Std. Key Automatic	2014 - 2016	DL-GM10	2
GMC	Acadia	Std. Key 6 Cyl. Automatic	2007 - 2013	DL-GM10	2
GMC	Acadia	Std.Key w/auto window roll-up/down 6 Cyl. Automatic	2007 - 2013	DL-GM10	2
GMC	Acadia Limited	Std. Key Automatic	2017 - 2017	DL-GM10	2
GMC	Savana 1500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
GMC	Savana 1500	Std. Key 6 Cyl. Automatic	2008 - 2017	DL-GM10	1

VEHICLE COMPATIBILITY (cont'd)

Make	Model	Trim	Years	Firmware	Diag
GMC	Savana 2500	Std. Key Diesel Automatic	2010 - 2017	DL-GM10	1
GMC	Savana 2500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
GMC	Savana 3500	Std. Key 8 Cyl. Automatic	2008 - 2017	DL-GM10	1
GMC	Savana 3500	Std. Key Diesel Automatic	2010 - 2017	DL-GM10	1
GMC	Sierra 1500	Std. Key 6 Cyl. Automatic	2007 - 2013	DL-GM10	1
GMC	Sierra 1500	Std. Key Hybrid Automatic	2007 - 2013	DL-GM10	1
GMC	Sierra 1500	Std. Key 8 Cyl. Automatic	2007 - 2013	DL-GM10	1
GMC	Sierra 1500	Std. Key w/Premium package 6 Cyl. Automatic	2007 - 2013	DL-GM10	1
GMC	Sierra 1500	Std. Key w/Premium package 8 Cyl. Automatic	2007 - 2013	DL-GM10	1
GMC	Sierra 2500	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
GMC	Sierra 2500	Std. Key Diesel Automatic	2007 - 2014	DL-GM10	1
GMC	Sierra 3500	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
GMC	Sierra 3500	Std. Key Diesel Automatic	2007 - 2014	DL-GM10	1
GMC	Yukon	Std. Key Hybrid Automatic	2007 - 2014	DL-GM10	1
GMC	Yukon	Std. Key 8 Cyl. Automatic	2007 - 2014	DL-GM10	1
Hummer	H2	Std. Key 8 Cyl. Automatic	2008 - 2009	DL-GM10	1
Pontiac	G8	Std. Key Sedan 8 Cyl. Manual	2008 - 2009	DL-GM10	2
Pontiac	G8	Std. Key Sedan 6 Cyl. Automatic	2008 - 2009	DL-GM10	2
Pontiac	G8	Std. Key Sedan 8 Cyl. Automatic	2008 - 2009	DL-GM10	2
Pontiac	G8	Std. Key Sedan 6 Cyl. Manual	2008 - 2009	DL-GM10	2
Pontiac	Torrent	Std. Key 6 Cyl. Automatic	2007 - 2009	DL-GM10	3
Saturn	Outlook	Std. Key 6 Cyl. Automatic	2007 - 2010	DL-GM10	2
Saturn	Outlook	Std. Key w/auto window roll-up/down 6 Cyl. Automatic	2007 - 2010	DL-GM10	2
Saturn	VUE	Std. Key Hybrid Automatic	2008 - 2010	DL-GM10	3
Saturn	VUE	Std. Key 4 Cyl. Automatic	2008 - 2010	DL-GM10	3
Suzuki	XL-7	Std. Key 6 Cyl. Automatic	2007 - 2009	DL-GM10	3

GUIDE REVISION DATE: 2018 01 31


GET THE LATEST VEHICLE COMPATIBILITY INFO FROM
WWW.WIRESHEET.COM

WIRING DIAGRAM #1

INSTALLATION STEPS:

- 1) Flash the interface module with the firmware matching the vehicle. NOTE: iDatalink 2-way protocol is recommended for full functionality.
- 2) Connect the BLACK wire to the remote start system's ground input wire.
- 3) Connect the harness to the vehicle and remote start as shown in the diagram below.
- 4) Connect the RED wire to constant 12V.
- 5) EXTERNAL MODULE ONLY: Connect the PINK of the OL-HRN-RS-GM10(A) harness to the PINK of the OL-HRN-RS-GM10(B) harness.
: Connect the BLACK/WHITE of the OL-HRN-RS-GM10(B) harness to the BLACK/WHITE of the bypass module.
: Select Data mode (see module install guide for instructions)
- 6) Program the interface module to the vehicle (see module install guide for instructions)
- 7) EXCALIBUR 70 SERIES ONLY: Perform Vehicle Learn to quickly configure the remote start to match the vehicle.
- 8) Test the system for all desired functions.

NOTE: Any features NOT supported by the interface module must be hard wired from the remote start to the vehicle. Refer to the remote start install guide and vehicle wiring info at www.wiresheet.com (only available for authorized dealers) for instructions.




WIRING DIAGRAM #2

INSTALLATION STEPS:

- 1) Flash the interface module with the firmware matching the vehicle. NOTE: iDatalink 2-way protocol is recommended for full functionality.
- 2) Connect the BLACK wire to the remote start system's ground input wire.
- 3) Connect the harness to the vehicle and remote start as shown in the diagram below.
- 4) Connect the RED wire to constant 12V..
- 5) EXTERNAL MODULE ONLY: Connect the PINK of the OL-HRN-RS-GM10(A) harness to the PINK of the OL-HRN-RS-GM10(B) harness.
: Connect the BLACK/WHITE of the OL-HRN-RS-GM10(B) harness to the BLACK/WHITE of the bypass module.
: Select Data mode (see module install guide for instructions)
- 6) Program the interface module to the vehicle (see module install guide for instructions)
- 7) EXCALIBUR 70 SERIES ONLY: Perform Vehicle Learn to quickly configure the remote start to match the vehicle.
- 8) Test the system for all desired functions.

NOTE: Any features NOT supported by the interface module must be hard wired from the remote start to the vehicle. Refer to the remote start install guide and vehicle wiring info at www.wiresheet.com (only available for authorized dealers) for instructions.



WIRING DIAGRAM #3

INSTALLATION STEPS:

- 1) Flash the interface module with the firmware matching the vehicle. **NOTE:** iDatalink 2-way protocol is recommended for full functionality.
- 2) Connect the **BLACK** wire to the remote start system's ground input wire.
- 3) Connect the harness to the vehicle and remote start as shown in the diagram below.
 - : Cut connector E from the adapter Y harness and hardwire the Pink (Ignition (+) Output) and Yellow (Passlock (+) Output) wires (see module install guide for instructions).
- 4) Connect the **RED** wire to constant 12V.
- 5) **EXTERNAL MODULE ONLY:** Connect the **PINK** of the OL-HRN-RS-GM10(A) harness to the **PINK** of the OL-HRN-RS-GM10(B) harness.
 - : Connect the **BLACK/WHITE** of the OL-HRN-RS-GM10(B) harness to the **BLACK/WHITE** of the bypass module.
 - : Select Data mode (see module install guide for instructions)
- 6) Program the interface module to the vehicle (see module install guide for instructions)
- 7) **EXCALIBUR 70 SERIES ONLY:** Perform Vehicle Learn to quickly configure the remote start to match the vehicle.
- 8) Test the system for all desired functions.

NOTE: Any features **NOT** supported by the interface module must be hard wired from the remote start to the vehicle. Refer to the remote start install guide and vehicle wiring info at www.wiresheet.com (only available for authorized dealers) for instructions.

