



MODEL
OL-HRN-RS-FM2

GUIDE ID
FM220171116

AVAILABLE ACCESSORIES
OL-HRN-RS-PWR
(Adapt to any brand remote start)

DISCLAIMER: The manufacturer of this product nor its affiliates accept any responsibility for any electrical damage to the vehicle or any other connected systems as a result of improper installation of this product. All wiring connections & vehicle compatibility must be verified by a professionally qualified technician prior to installation.

VEHICLE COMPATIBILITY

Make	Model	Trim	Years	Firmware
Ford	Edge	Std. Key 40-bit 6 Cyl. Automatic	2007 - 2010	TB-FM2
Ford	Escape	Std. Key 40-bit 4 Cyl. Automatic	2008 - 2012	TB-FM2
Ford	Escape	Std. Key 40-bit Hybrid CVT	2008 - 2012	TB-FM2
Ford	Escape	Std. Key 40-bit 4 Cyl. Manual	2008 - 2012	TB-FM2
Ford	Escape	Std. Key 40-bit 6 Cyl. Automatic	2008 - 2012	TB-FM2
Ford	Explorer	Std. Key 40-bit 8 Cyl. Automatic	2006 - 2010	TB-FM2
Ford	Explorer	Std. Key 40-bit 6 Cyl. Automatic	2006 - 2010	TB-FM2
Ford	Explorer Sport Trac	Std. Key 40-bit 6 Cyl. Automatic	2007 - 2010	TB-FM2
Ford	Explorer Sport Trac	Std. Key 40-bit 8 Cyl. Automatic	2007 - 2010	TB-FM2
Ford	Fiesta	Std. Key 40-bit Hatchback 4 Cyl. Automatic	2011 - 2013	TB-FM2
Ford	Fiesta	Std. Key 40-bit Sedan 4 Cyl. Automatic	2011 - 2013	TB-FM2
Ford	Fiesta	Std. Key 40-bit Hatchback 4 Cyl. Manual	2011 - 2013	TB-FM2
Ford	Fiesta	Std. Key 40-bit Sedan 4 Cyl. Manual	2011 - 2013	TB-FM2
Ford	Flex	Std. Key 40-bit 6 Cyl. Automatic	2009 - 2012	TB-FM2
Ford	Focus	Std. Key 40-bit Sedan 4 Cyl. Automatic	2008 - 2011	TB-FM2
Ford	Focus	Std. Key 40-bit Sedan 4 Cyl. Manual	2008 - 2011	TB-FM2

VEHICLE COMPATIBILITY (cont'd)

Make	Model	Trim	Years	Firmware
Ford	Focus	Std. Key 40-bit Coupe 4 Cyl. Manual	2008 - 2010	TB-FM2
Ford	Focus	Std. Key 40-bit Coupe 4 Cyl. Automatic	2008 - 2010	TB-FM2
Ford	Fusion	Std. Key 40-bit Sedan 6 Cyl. Automatic	2006 - 2012	TB-FM2
Ford	Fusion	Std. Key 40-bit Sedan 4 Cyl. Automatic	2006 - 2012	TB-FM2
Ford	Fusion	Std. Key 40-bit Sedan Hybrid CVT	2010 - 2012	TB-FM2
Ford	Fusion	Std. Key 40-bit Sedan 4 Cyl. Manual	2006 - 2012	TB-FM2
Ford	Mustang	Std. Key 40-bit Coupe 6 Cyl. Automatic	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Coupe 6 Cyl. Manual	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Coupe 8 Cyl. Automatic	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Coupe 8 Cyl. Manual	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Convertible 6 Cyl. Automatic	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Convertible 6 Cyl. Manual	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Convertible 8 Cyl. Automatic	2010 - 2014	TB-FM2
Ford	Mustang	Std. Key 40-bit Convertible 8 Cyl. Manual	2010 - 2014	TB-FM2
Ford	Taurus	Std. Key 40-bit Sedan 6 Cyl. Automatic	2008 - 2012	TB-FM2
Ford	Taurus	Std. Key 40-bit Sedan 4 Cyl. Automatic	2012 - 2012	TB-FM2
Ford	Taurus X	Std. Key 40-bit 6 Cyl. Automatic	2008 - 2009	TB-FM2
Lincoln	MKS	Std. Key 40-bit Sedan 6 Cyl. Automatic	2009 - 2012	TB-FM2
Lincoln	MKX	Std. Key 40-bit 6 Cyl. Automatic	2007 - 2010	TB-FM2
Lincoln	MKZ	Std. Key 40-bit Sedan 6 Cyl. Automatic	2007 - 2012	TB-FM2
Lincoln	MKZ	Std. Key 40-bit Sedan Hybrid Automatic	2011 - 2012	TB-FM2
Lincoln	Zephyr	Std. Key 40-bit Sedan 6 Cyl. Automatic	2006 - 2006	TB-FM2
Mazda	Tribute	Std. Key 4 Cyl. Automatic	2008 - 2011	TB-FM2
Mazda	Tribute	Std. Key 4 Cyl. Manual	2008 - 2011	TB-FM2
Mazda	Tribute	Std. Key 6 Cyl. Automatic	2008 - 2011	TB-FM2
Mazda	Tribute	Std. Key Hybrid CVT	2008 - 2009	TB-FM2
Mercury	Mariner	Std. Key 40-bit Hybrid CVT	2008 - 2011	TB-FM2
Mercury	Mariner	Std. Key 40-bit 4 Cyl. Automatic	2008 - 2010	TB-FM2
Mercury	Mariner	Std. Key 40-bit 6 Cyl. Automatic	2008 - 2010	TB-FM2
Mercury	Milan	Std. Key 40-bit Sedan 4 Cyl. Manual	2006 - 2011	TB-FM2

VEHICLE COMPATIBILITY (cont'd)

Make	Model	Trim	Years	Firmware
Mercury	Milan	Std. Key 40-bit Sedan Hybrid CVT	2010 - 2011	TB-FM2
Mercury	Milan	Std. Key 40-bit Sedan 4 Cyl. Automatic	2006 - 2010	TB-FM2
Mercury	Milan	Std. Key 40-bit Sedan 6 Cyl. Automatic	2006 - 2010	TB-FM2
Mercury	Mountaineer	Std. Key 40-bit 6 Cyl. Automatic	2006 - 2010	TB-FM2
Mercury	Mountaineer	Std. Key 40-bit 8 Cyl. Automatic	2006 - 2010	TB-FM2
Mercury	Sable	Std. Key 40-bit Sedan 6 Cyl. Automatic	2008 - 2009	TB-FM2

GUIDE REVISION DATE: 2017 11 16

**GET THE LATEST VEHICLE COMPATIBILITY INFO FROM
WWW.WIRESHEET.COM**

WIRING DIAGRAM

INSTALLATION STEPS:

- 1) Flash the interface module with the firmware matching the vehicle. **NOTE:** iDatalink 2-way protocol is recommended for full functionality.
- 2) Connect the **BLACK** wire to the remote start system's ground input wire.
- 3) Connect the harness to the vehicle and remote start as shown in the diagram below.
- 4) **EXTERNAL MODULE ONLY:** Connect the **PINK** of the OL-HRN-RS-FM2(A) harness to the **PINK** of the OL-HRN-RS-FM2(B) harness.
- 5) **EXTERNAL MODULE ONLY:** Select Data mode (see module install guide for instructions)
- 6) Program the interface module to the vehicle (see module install guide for instructions)
- 7) **EXCALIBUR 70 SERIES ONLY:** Perform Vehicle Learn to quickly configure the remote start to match the vehicle.
- 8) Test the system for all desired functions.

NOTE: Any features **NOT** supported by the interface module must be hard wired from the remote start to the vehicle. Refer to the remote start install guide and vehicle wiring info at www.wiresheet.com (only available for authorized dealers) for instructions.

